

BizViz How-to-Guide

Platform

Predictive Configuration

Release : 2.0

Date : March 4, 2016

Copyright © 2015. All rights reserved. No part of this publication may be reproduced or copied in any form or for any purpose without the permission of BD BizViz LLC. Anyone found guilty will be legally prosecuted.

Table of Contents

- 1. Document Purpose 3
- 2. Prerequisites 3
 - 2.1. Software 3
 - 2.2. Knowledge of BizViz Server 3
- 3. Step-by-Step Process 3
 - 3.1. Login to the BizViz Portal 3
 - 3.2. Configuring R Server 5

1. Document Purpose

The purpose of this document is to guide users on how to configure R-Server (Predictive) with BizViz portal. It is recommended to follow the step-by-step process given below to successfully configure the server.

2. Prerequisites

2.1. Software

- Browser that supports HTML5
- Operating System: Windows7


2.2. Knowledge of BizViz Server

The user should have a basic understanding of the BizViz Server


3. Step-by-Step Process

3.1. Login to the BizViz Portal


- In the URL bar, enter → <http://apps.bdbizviz.com/app/index.html>
- Enter your credentials to Login




- Click on '**Login**' to view the BizViz Portal Home Screen



iv) Click on the 'Menu'  button to display a list of the installed applications.




v) Click on 'Administration' plug-in available in the above figure (see above)



vi) Click on the 'Predictive Configuration' as seen in the above figure

3.2. Configuring R Server

i) Click on 'R Servers +' icon to configure



The screenshot shows a dialog box titled "Predictive Configuration" with a "Close" button in the top right corner. Inside the dialog, there is a section for "RServers" with a "+" icon. Below this is the "R-Server Configuration" section, which contains the following fields:

- IP Address: IP Address
- Port: Port
- User Name: User Name
- Password: Password
- Set As Default:

At the bottom right of the dialog, there are "Clear" and "Save" buttons. A "Back" button is also visible in the top right area of the configuration section.

ii) Enter the following fields:

- **IP Address:** IP address of the server where R is deployed
- **Port:** Port number of R-Server
- **Username:** Username of Server where R is deployed
- **Password:** Password of the server where R is deployed
- **Set as Default:** Option to set default R-server

iii) Click on 'Save' button to apply the changes.